


LMK86(D)型號尺寸



單位 (mm)



軌道長度L2 (mm)	全長L1 (mm)	最大行程 (mm)		H (mm)	n	m	重量 (kg)	
		A1滑座	A2滑座				A1滑座	A2滑座
340	440	216.5	108.5	70	3	2	5.7	6.5
440	540	316.5	208.5	20	4	3	6.9	7.7
540	640	416.5	308.5	70	5	3	8	8.8
640	740	516.5	408.5	20	6	4	9.2	10
740	840	616.5	508.5	70	7	4	10.4	11.2
940	1040	816.5	708.5	70	9	5	11.6	12.4

[illegible]



軌道長度L2 (mm)	全長L1 (mm)	最大行程 (mm)		H (mm)	n	m	重量 (kg)	
		A1滑座	A2滑座				A1滑座	A2滑座
340	440	216.5	108.5	70	3	2	6.5	7.3
440	540	316.5	208.5	20	4	3	7.8	8.6
540	640	416.5	308.5	70	5	3	9	9.8
640	740	516.5	408.5	20	6	4	10.3	11.3
740	840	616.5	508.5	70	7	4	11.6	12.4
940	1040	816.5	708.5	70	9	5	13	13.8

LMK86連接法蘭



馬達座F0





馬達連接法蘭F4





馬達連接法蘭F1





馬達連接法蘭F5





馬達連接法蘭F2





馬達連接法蘭F6




馬達連接法蘭F3




轉接固定座H0



極限開關



BS5-L1M



BS5-Y1M